



DECLARATION OF PERFORMANCE  
No. 002CPR2013GR01

1. 37xxxxxx/38xxxxxx/39xxxxxx

2. WH = WC pan, independent, wall hung  
FS = WC pan, independent, floor standing  
FSCC = WC pan, close-coupled suits, floor standing  
WHCC = WC pan, close-coupled suits, wall hung

3. Personal hygiene (PH)

4. Grohe AG  
P.O. Box 1361, 58653 Hemer, Germany  
<http://www.grohe.com>  
Tel.: +49 (0) 5 71 / 39 89 - 333  
Fax: +49 (0) 5 71 / 39 89 - 999  
Email: [helpline@grohe.de](mailto:helpline@grohe.de)

5. --

6. System 4

7. Determination of product type and factory production control by the manufacturer

8.

Essential characteristics	Performance	Harmonised technical specification
Capacity of flushing water (CF)	Confirmed	EN 997 : 2012 + A1 : 2015
Backflow prevention (of foul air) (BP)	Confirmed	
Cleanability (CA)	Confirmed	
Load resistance (LR)	Confirmed	
Watertightness/leaktightness (WL)	Confirmed	
Valve reliability (VR)	Confirmed	
Durability (DA)	Confirmed	

9. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Research & Development Vice President Torsten Meier	Quality & Industrial Engineering Vice President Thorsten Schollenberger
---	---

*T. Meier*            *T. Schollenberger*  
Grohe AG  
Industriepark Edelburg · 58675 Hemer

Hemer, 16.02.2018



DECLARATION OF PERFORMANCE  
No. 002CPR2013GR01

1. 37xxxxxx/38xxxxxx/39xxxxxx

2. WH = WC pan, independent, wall hung  
FS = WC pan, independent, floor standing  
FSCC = WC pan, close-coupled suits, floor standing  
WHCC = WC pan, close-coupled suits, wall hung

3. Personal hygiene (PH)

4. Grohe AG  
P.O. Box 1361, 58653 Hemer, Germany  
<http://www.grohe.com>  
Tel.: +49 (0) 5 71 / 39 89 - 333  
Fax: +49 (0) 5 71 / 39 89 - 999  
Email: [helpline@grohe.de](mailto:helpline@grohe.de)

5. --

6. System 4

7. Determination of product type and factory production control by the manufacturer

8.

Essential characteristics	Performance	Harmonised technical specification
Capacity of flushing water (CF)	Confirmed	EN 997 : 2012 + A1 : 2015
Backflow prevention (of foul air) (BP)	Confirmed	
Cleanability (CA)	Confirmed	
Load resistance (LR)	Confirmed	
Watertightness/leaktightness (WL)	Confirmed	
Valve reliability (VR)	Confirmed	
Durability (DA)	Confirmed	

9. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Research & Development Vice President Torsten Meier	Quality & Industrial Engineering Vice President Thorsten Schollenberger
---	---

*T. Meier*  *T. Schollenberger*  
Grohe AG  
Industriepark Edelburg · 58675 Hemer

Hemer, 16.02.2018

**Vyhlasenie o vlastnostiach**  
**č. 002CPR2013GR01**

1. 37xxxxxx/38xxxxxx/39xxxxxx

2. Zavesné WC  
Voľne stojace WC  
WC kombi voľne stojace  
WC kombi zavesné

3. Osobná hygiena (PH)

4. Grohe AG  
P. O. Box 1361, 58653 Hemer, Nemecko  
<http://www.grohe.com>  
Tel.: +49(0) 5 71/39 89-333  
Fax: +49(0) 5 71/39 89-999  
Email: [helpline@grohe.de](mailto:helpline@grohe.de)

5. --

6. Systém 4

7. Určovanie typu výrobku a riadenie výroby výrobcom

8.

Základné charakteristiky	Výsledok	Harmonizovaná technická norma
Kapacita splachovania vody (CF)	spĺňa	EN 997:2012 + A1:2015
Predchádzanie spätnému toku (BP)	spĺňa	
Čistiteľnosť (CA)	spĺňa	
Odolnosť proti zaťaženiu (LR)	spĺňa	
Vodotesnosť/tesnosť (WL)	spĺňa	
Spoľahlivosť ventilu (VR)	spĺňa	
Trvanlivosť (DA)	spĺňa	

9. Vyššie uvedený produkt je v zhode so súborom deklarovanych vlastností.  
Toto vyhlásenie o parametroch sa vydáva v súlade s nariadením (EU)  
č. 305/2011, na výhradnú zodpovednosť výrobcu uvedeného vyššie.

Podpísané v mene výrobcu:

Výskum & vývoj Viceprezident kvality Torsten Meier	Kvalita & priemyslové inžinierstvo Viceprezident Thorsten Schollenberger
--	--

.....

Hemer, 16.02.2018



DECLARATION OF PERFORMANCE  
No. 002CPR2013GR01

1. 37xxxxxx/38xxxxxx/39xxxxxx

2. WH = WC pan, independent, wall hung  
FS = WC pan, independent, floor standing  
FSCC = WC pan, close-coupled suits, floor standing  
WHCC = WC pan, close-coupled suits, wall hung

3. Personal hygiene (PH)

4. Grohe AG  
P.O. Box 1361, 58653 Hemer, Germany  
<http://www.grohe.com>  
Tel.: +49 (0) 5 71 / 39 89 - 333  
Fax: +49 (0) 5 71 / 39 89 - 999  
Email: [helpline@grohe.de](mailto:helpline@grohe.de)

5. --

6. System 4

7. Determination of product type and factory production control by the manufacturer

8.

Essential characteristics	Performance	Harmonised technical specification
Capacity of flushing water (CF)	Confirmed	EN 997 : 2012 + A1 : 2015
Backflow prevention (of foul air) (BP)	Confirmed	
Cleanability (CA)	Confirmed	
Load resistance (LR)	Confirmed	
Watertightness/leaktightness (WL)	Confirmed	
Valve reliability (VR)	Confirmed	
Durability (DA)	Confirmed	

9. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Research & Development Vice President Torsten Meier	Quality & Industrial Engineering Vice President Thorsten Schollenberger
---	---

*T. Meier*  *T. Schollenberger*  
Grohe AG  
Industriepark Edelburg · 58675 Hemer

Hemer, 16.02.2018

**Prohlášení o vlastnostech**  
**č. 002CPR2013GR01**

1. 37xxxxxx/38xxxxxx/39xxxxxx

2. Závěsné WC  
Volně stojící WC  
WC kombi volně stojící  
WC kombi závěsné

3. Osobní hygiena (PH)

4. Grohe AG  
P. O. Box 1361, 58653 Hemer, Německo  
<http://www.grohe.com>  
Tel.: +49(0) 5 71/39 89-333  
Fax: +49(0) 5 71/39 89-999  
Email: [helpline@grohe.de](mailto:helpline@grohe.de)

5. --

6. Systém 4

7. Stanovení typu výrobku a řízení výroby výrobcem

8.

Základní charakteristiky	Výsledek	Harmonizovaná technická norma
Kapacita splachování vody (CF)	splňuje	EN 997:2012 + A1:2015
Předcházení zpětnému toku (BP)	splňuje	
Čistitelnost (CA)	splňuje	
Odolnost proti zatížení (LR)	splňuje	
Vodotěsnost/těsnost (WL)	splňuje	
Spolehlivost ventilu (VR)	splňuje	
Trvanlivost (DA)	splňuje	

9. Výše uvedený produkt je ve shodě se souborem deklarovaných vlastností.  
Toto prohlášení o vlastnostech se vydává v souladu s nařízením (EU)  
č. 305/2011, na výhradní odpovědnost výrobce uvedeného výše.

Podepsáno jménem výrobce:

Výzkum & vývoj Viceprezident kvality Torsten Meier	Kvalita & průmyslové inženýrství Viceprezident Thorsten Schollenberger
--	--

.....

Hemer, 16.02.2018